


ZXY500®

FEATURES


- All-new proprietary ASIC design



ZXY500-U-OFF-256-A CHIPSET

THE ADVANTAGES?

100% Zytronic control (no reliance on 3rd party ASICs)



ZYY500-U-OFF-256-A FLEXI TAIL

THE BENEFITS?

Fast internal technical support for custom firmware requirements

Chipset solution available

Smaller touch controller boards

Fewer components vs earlier gen controllers

Better control over your system life cycle

Ability to detect up to 100 touch points simultaneously

Optimised to our mutual capacitive touch detection technology and firmware

Increased speed, approx. 1mS at controller output

Reduced gap between display and rear of sensor e.g. down to 1.0mm on a 32" display in some cases

Capable of detecting the touch of gloved hands

Ability to reduce border widths e.g. down to <10mm on a 55" sensor

Can detect touch through >10mm overlaying glass thickness

Touch detection unaffected by rain, salt water, oil, ice, ect

WHAT DOES THAT MEAN?

No 'pleading' with 3rd party controller/chip suppliers for help. The "buck stops" with Zytronic

Further internal system space and cost reduction options

More compact system designs and integration possible

Controllers are more cost effective than before

We own all the design and key components, so no nasty EOL 'surprises' for you

Enabling true multi-user support and improved palm rejection functionality

There's no compromise on touch performance

Reducing touch latency and improving your system users experience

- ASIC raises on-board voltage: TX up from 12 to 40v

Improved Signal to Noise Ratio



ZXY500-U-OFF-64-A



ZXY500-U-OFF-128-A



ZXY500-U-OFF-256-A

Reduced image parallax and slimmer touchscreen designs

Ideal for outdoor, industrial and medical applications


Increased touchscreen design flexibility matching the latest narrow border LCDs

Rugged, highly impact resistant and suitable for unattended applications


The perfect choice for outdoor and heavy duty applications

ZXY500®


FEATURES	THE ADVANTAGES?	THE BENEFITS?	WHAT DOES THAT MEAN?
<ul style="list-style-type: none"> • Draws 5v power via the USB Vbus 	<p>Eliminates need for separate power supply</p>	<p>Less cables No separate power supply</p>	<p>Easier integration for you Reduces your overall system cost</p>
<ul style="list-style-type: none"> • Various built in outputs: USB, RS232, i2C, SPI, QNX6.6 	<p>Multiple onboard communication outputs</p>	<p>Select best data communication based on application/need</p>	<p>Complete flexibility of support</p>
<ul style="list-style-type: none"> • New narrower flex tails: reduced pitch 	<p>Smaller form/factor boards</p>	<p>Less 'real estate' needed Smaller, shorter flex tails</p>	<p>Saves you system space so your designs can be more compact Designed to ease your integration and reduce the touch sensor cost</p>
<ul style="list-style-type: none"> • ZyConfig software utility supports wide range of OS's 	<p>Support for Win7-10, WES7-8.1, Android, and Linux</p>	<p>Tool enables quick set up of controller and optimisation of controller settings for the intended application</p>	<p>Easing the integration of the controller into your intended application system</p>
<ul style="list-style-type: none"> • Windows HID Compliant 	<p>Plug and play installation with Windows</p>	<p>Supported Windows OS's will recognize controller without the need for a 3rd party driver</p>	<p>Quick and easy to install in Windows systems</p>



ZYBM Sensor and ZXY500-U-OFF-64-A



ZYBM Sensor and ZXY500-U-OFF-128-A



ZYBM Sensor and ZXY500-U-OFF-256-A